

Please Enter Amendment

RESPONSE UNDER 37 C.F.R. 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP 3763

S/N 10/086,994

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

DEC 10 2004

Applicant:	BLOMQUIST ET AL.	Examiner:	M. DESANTO
Serial No.:	10/086,994	Group Art Unit:	3763
Filed:	FEBRUARY 28, 2002	Docket No.:	14485.144US01
Title:	SYRINGE PUMP CONTROL SYSTEMS AND METHODS		

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being transmitted by facsimile to: Commissioner for Patents, Mail Stop AF, P.O. Box 1450, Alexandria, VA 22313-1450 (fax no. 703-872-9306) on December 10, 2004.

By:

Name: CARLA J. MAESTRI

AMENDMENT UNDER 37 C.F.R. § 1.116

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

With regard to the Final Office Action in the above-referenced application, mailed on August 11, 2004, Applicants provide the following Amendments and Remarks After Final.

Amendments to the Claims are reflected in the listing of claims that begins on page 2 of this paper.

Remarks begin on page 3.

BEST AVAILABLE COPY